

			Preinjection		After First Injection			After Second Injection			After Third Injection		
Patient	Age	Gender	Pain	Nirschl	Pain	Nirschl	Maximum Benefit (wk)	Pain	Nirschl	Maximum Benefit (wk)	Pain	Nirschl	Maximum Benefit (wk)
1	51	M	1	8	5	0	0	1	-	-	-	-	-
2	43	F	7	7	5	4	1	2	2	1	0	0	1
3	44	M	7	7	0	0	4	-	-	-	-	-	-
4	56	F	9	7	5	3	4	0	0	8	-	-	-
5	51	M	9	6	7	3	1	-	-	-	-	-	-
6	61	F	8	6	0	0	6	-	-	-	-	-	-
7	52	M	8	7	0	0	1	-	-	-	-	-	-
8	37	F	8	7	3	3	2	0	0	1	-	-	-
9	46	F	10	7	1	1	4	-	-	-	-	-	-
10	41	F	8	7	0	0	2	-	-	-	-	-	-
11	52	M	5	7	5	7	6	0	0	4	-	-	-
12	47	F	5	7	0	0	2	-	-	-	-	-	-
13	44	M	10	7	0	0	8	-	-	-	-	-	-
14	45	M	7	7	0	0	2	-	-	-	-	-	-
15	45	M	4	5	2	2	1	0	0	1	-	-	-
16	43	F	10	6	5	5	1	2	2	1	0	0	1
17	43	F	8	6	2	1	1	0	0	1	-	-	-
18	45	M	8	7	8	7	8	-	-	-	-	-	-
19	37	M	7	7	6	7	2	4	4	3	-	-	-
21	44	M	8	7	0	0	8	-	-	-	-	-	-
22	45	M	7	7	3	5	1	0	0	1	-	-	-
23	36	F	8	7	0	0	1	-	-	-	-	-	-
24	42	F	8	7	4	4	3	-	-	-	-	-	-
25	52	M	8	4	8	4	1	-	-	-	-	-	-
26	37	F	10	5	0	0	2	-	-	-	-	-	-
27	51	F	9	7	0	0	6	-	-	-	-	-	-
28	56	F	9	7	0	0	3	-	-	-	-	-	-
Average	46.5	M = 14 F = 14	7.8	6.5	2.8	2.5	3	0.9	0.9	2.3	0	0	1